




**HIGH PERFORMANCE MARINE AUDIO**









## The **Wet Sounds** story


Since the beginning, it has been Wet Sounds' mission to be the undisputed leader in high-performance marine audio products. Wet Sounds™ continues to push the level of performance with every product we bring to market; aspiring not only to meet, but to exceed our customers expectations. We have never followed the crowd, but rather seek to push the boundaries of what is possible through constant innovation and technological advancement. Our goal will never change – build the highest performance, element-proof audio products.

Wet Sounds is more than just an audio company; our products deliver emotion.



History of Wet Sounds	.....	4-5
Radios	.....	6-11
Tower Speakers	.....	12-17
REVO Speakers	.....	18-19
REVO Subwoofers	.....	20-24
RECON Speakers	.....	25
RECON Subwoofers	.....	26
RECON PODS	.....	27
Universal Soundbars	.....	28-30
Subwoofer Enclosures	.....	31
Amplifiers	.....	32-35
Equalizers	.....	36-37
Audio Controls	.....	38-39
SHIVR	.....	40-41
Accessories	.....	42-43





THE ULTIMATE AUDIO EXPERIENCE.





2005

When it all began.  
The start of Wet Sounds.



Launched PRO 80  
and PRO 485

2006



Innovation Award for  
the WS-420  
• Launched coaxial  
speakers and subwoofers

2008



Industry first RGB tweeter marine  
speakers and industry-first RGB  
LED speaker rings

2010

2007

Innovation Award for the PRO 80.  
• Launched PRO 60 in boats  
and WS-420



2009

World's first marine  
SPL subwoofer XS-XXX



2011

REV Towers







Swivel clamp patent

2013



REVO Speakers

2016



World's first marine source unit with optional RGB controller

2018



WS-MC-2

2018



Dual Zone Bluetooth Controller

2020

2015

World's first powersports sound bar with multiple patents



2014-2018

Fastest growing privately owned US company



2018

**FIRST EVER OF ITS KIND!**

55-liter premium SHIVR® Cooler with built-in 6 speaker system, complete with lithium ion battery pack - 8 hours play time



2019


RECON Series built for motorsport enthusiasts



# WS-MC1

Wet Sounds Marine Media  
Center System

Wet Sounds Media Center (MC-1) is an industry-leading, two-piece marine-grade, multi-zone source unit. This package includes two components: the MC-MD main display/control center and the MC-BB - the remotely-mounted processing unit. The MC-1 is personally customizable to store and control your favorite input sources, while also storing audio presets for 4 zones. Use the MC-1 to set multiple volume levels for a variety of lifestyle environments, then add custom labels to the presets for fingertip access while on the water.



Performance  
Matched options:

**MC-TR**



**AL-SR-V2  
S/R KIT**



**MC-MD 2**

Secondary TFT  
Full-Color Display  
for the WS-MC1





## FEATURES INCLUDE:

- Adjustable input gain levels
- Water-resistant rotary control for IPX6 Intrusion protection (MC-MD)
- Conformal Coated PC Board for IPX5 Intrusion Protection (MC-BB)
- Optional MC-TR Transom Remote
- Fully-Upgradeable Software & Firmware via USB Port

- Simple & Secure Pairing Bluetooth Profile for Android & iOS
- Displays Album Art from Connected Devices
- Playlist & Folder Browsing via BT or USB Connection
- Auxiliary Input, USB Input, Bluetooth Streaming Input, Pandora, SiriusXM-Ready®
- Internal Power Amplifier: 4x50W, 2-Ohm Stable



Marine-Grade AM/FM/Weather Band RDS Radio digital tuner



Bluetooth, A2DP Only, AVRCP 1.3, APTX



Day/Night Illumination



Bluetooth Streaming, Auxiliary Input, USB, Pandora, & SiriusXM-Ready®



5" Ultra-Bright TFT Display/Controller



4-Zone Output with 4V signal output



**WS-4Z-RGB-BB**

4-Zone RGB lighting controller



**MC-UAP**

Universal Adapter Plate




# WS-MC-2

Wet Sounds 1-Piece  
Marine Receiver

Following up on the success of our MC-1, we've developed a unit that will work in any application; both off-road and on the water. The MC-2 Digital Media Receiver with 2.7" full-color display is designed to be a solution for installing a high-quality receiver in smaller and tighter space, while still maintaining Wet Sounds' unmatched sound quality and durability.



Power: Internal Power Amplifier  
4x50W @ 2 Ohms



Performance  
Matched options: **MC-TR**



**AL-SR-V2  
S/R KIT**





## FEATURES INCLUDE:

- Internal Power Amplifier 4x50W at 2-Ohm Max output
- 7-Band Equalization
- Adjustable Input Gains for all inputs
- Compatible with optional MC-TR Transom Remote
- SiriusXM-Ready®
- Built-in crossovers: HPF for front & rear, LPF for Zone 2
- Front & Rear Preamp outputs with fading capability
- Simple & Secure Bluetooth Pairing for Android & iOS (A2DP/AVRCP 1.4)
- Playlist & Folder browsing via BT or USB Connection with compatible devices
- Front-Panel Mounted Independent Secondary-Zone Control
  - Full Range or Subwoofer



2.7" Full-Color TFT Display



Auxiliary Input (3.5mm)



Bluetooth Audio Streaming, Auxiliary, USB, Pandora Inputs & SiriusXM-Ready®



AM/FM/WB Digital Tuner



Day/Night Illumination & Dimming



USB Input with iPhone Connectivity, Charging and MP3 Capability



# WS-MC TR


Transom / Auxiliary Remote  
for MC-1 Media Center

With the Wet Sounds transom remote connected to your MC-1 marine media center or your MC-2, you can control your entertainment from the bow, or from your swim deck. It connects to the MC-1/MC-2 via the included 23-foot MC-TR EXT cable, and gives you the ability to adjust volume and choose audio sources when you're nowhere near the main display.



Optional add-ons:

- MC-TR Y-Cable: Connects up to 2 MC-TR units to an MC-1 or MC-2
- Additional MC-TR EXT 23-foot extension cable for extended mounting distance





What makes this product great is allowing you the freedom to be at the front, back, or even outside the boat, while still maintaining the ability to easily access and change volume, source, song, etc. The MC-TR is usually mounted on the rear transom of the boat to allow control of the audio system without getting out of the water when swimming. Two MC-TR units can be used in conjunction (with optional MC-TR-Y cable), allowing access from both the front and rear of the boat.



Up to 50-foot distance from MC-BB  
(with additional MC-TR-EXT cable)



Single-Line LCD Display



Connects to the MC-BB via  
the supplied 23ft cable



Source, Playback, and Volume  
Controls



Volume – Main level and  
each Zone individually



Allows control of radio,  
Bluetooth, Pandora, and AUX




# REV SERIES REV 410

Tower Speaker

The Wet Sounds Revolution Series uses our proprietary REV TEC™ technology. Unlike conventional designs, REV TEC technology provides remarkable volume and clarity, along with incredible, full-range sound quality at long distances - both on and off axis. Our REV TEC design features enhanced mid-bass response at all volume levels, along with smooth frequency-response for amazing near-field and wake-range sound quality. Available in Gloss Black and Gloss White with UV inhibitors.



**POWER (W):** 400/800 (RMS/Peak)  
**IMPEDANCE:** 4 Ohms  
**FREQ. RESPONSE:** 20 Hz - 20 kHz  
**SENSITIVITY:** 92 dB at 1W/Meter  
**Hang Weight:** 36.2 lbs each



Performance  
Matched options: **HTX-2**



**SYN-DX  
2.3 HP**



**SYN-DX 2**



**SWIVEL**



**FIXED**





## FEATURES INCLUDE:

- All stainless steel hardware
- Stainless steel grille overlays
- Reinforced composite enclosure
- More flexible mounting options when used in conjunction with our REV10™ speakers (REV 3 SOME)

### OPTION

## REV 3 SOME

*Get ready for this unforgettable combo.  
See (and HEAR) for yourself.*

REV410



+

REV10™




=

## REV 3 SOME



Performance  
Matched options:

REV 3 SOME HTX-2



HTX-4

SYN-DX 6



SDX 6



# REV SERIES

## REV 10" HLCD

### Tower Speaker

The Revolution Series continues with our REV Series HLCD tower speakers, using our proprietary REV TEC™ technology. Unlike conventional designs, REV TEC technology provides remarkable volume and clarity, along with incredible, full-range sound quality at long distances - both on and off axis. The REV TEC design allows our REV series speakers to clearly project your favorite music up to 80 feet and beyond, without any loss of detail. Available in Gloss Black and Gloss White pairs.



**POWER (W):** 300/600 (RMS/Peak)

**IMPEDANCE:** 4 Ohms


**FREQ. RESPONSE:** 20 Hz - 20 kHz

**SENSITIVITY:** 92 dB at 1W/Meter

**MID-BASS:** 10" Kevlar-reinforced EFG cone woofers with polyurethane surround

**HIGH FREQUENCY:**

Pro-Axial Driver, Coaxially-Mounted Titanium Diaphragm, High Output Horn-Loaded Compression Driver



Performance  
Matched options:

**SINISTER  
SDX2**



**SYN-DX  
2.3 HP**



**SYN-DX 4**



**X MOUNT SWIVEL FIXED**





# REV SERIES REV 8" HLCD

Tower Speaker

The REV8® gives you the same output range and off-axis response in a smaller package. Featuring an enclosure 2-inches smaller in diameter, the REV8 fits where the REV10® won't. Don't compromise your tower speaker performance because you don't have the room - the REV8 will rock you like no other! Available in Gloss Black and Gloss White pairs.



**POWER (W):** 200/400 (RMS/Peak)

**IMPEDANCE:** 4 Ohms

**FREQ. RESPONSE:** 20 Hz - 20 kHz

**SENSITIVITY:** 92 dB at 1W/Meter


**MID-BASS:** 8" Kevlar-reinforced EFG cone woofers with polyurethane surround

**HIGH FREQUENCY:**

Pro-Axial Driver, Coaxially-Mounted Titanium Diaphragm, High Output Horn-Loaded Compression Driver



11.5"W



8.75"D

9.56"H

Performance  
Matched options:

**SINISTER  
SDX2**




**SYN-DX 2**



**SYN-DX  
2.3 HP**



**X MOUNT SWIVEL FIXED**



# ICON SERIES


## ICON 8"

Tower Speaker

The ICON Series is an extreme-performance tower speaker designed for those craving a full, mid-bass sound and clean, detailed highs in a smaller enclosure. The ICON 8 utilizes an 8-inch continuous cone mid-bass driver, with a grille-mounted 1-inch titanium tweeter. Available in Gloss Black and Gloss White pairs.



**POWER (W):** 150/300 (RMS/Peak)  
**IMPEDANCE:** 4 Ohms  
**FREQ. RESPONSE:** 20 Hz - 20 kHz  
**SENSITIVITY:** 92 dB at 1W/Meter



Performance  
Matched options:

**SYN-DX**  
**2.3 HP**



**SYN-DX 2**



**HTX-2**



**X MOUNT SWIVEL FIXED**





# REV 6x9 REV 5x7


Surface Mountable  
Roto-Mold Enclosure + Grille

The REV Surface Mount Enclosure is a Horn-Loaded Compression Driver (HLCD) enclosed in a durable, Roto-Molded, marine-grade surface mountable housing. This High-Output, compression-driven speaker delivers amazing sound throughout any application. Offered in both a 5x7 white housing and 6x9 with black or white housing, The REV surface mountable enclosures are a perfect under-gunnel fit, with full-range speakers for offshore and large scale boats. Sold in pairs.




## REV 5X7

**POWER (W):** 75/150 (RMS/Peak)  
**IMPEDANCE:** 4 Ohms  
**FREQ. RESPONSE:** 100 Hz - 20 kHz  
**SENSITIVITY:** 89 dB at 1W/M



## REV 6X9

**POWER (W):** 150/300 (RMS/Peak)  
**IMPEDANCE:** 4 Ohms  
**FREQ. RESPONSE:** 20 Hz - 20 kHz  
**SENSITIVITY:** 89 dB at 1W/M



Performance

Matched options: **SYN-DX 2**



**HTX-2**





## Coaxial Speakers

The best-performing Wet Sounds coaxial speaker yet! The REVO series coaxial speakers are designed to provide superior sound quality with amazing mid-bass and clarity at high volume. Wet Sounds REVO series speakers feature the only Santoprene™ spider in the industry - impervious to water saturation and dry rot. REVO coaxial speakers also include RGB lighting for endless color options. Available in Black and White pairs with 8 different grille options.



**RGB**

**REVO 6**  
**POWER (W):** 100/200 (RMS/Peak)  
**IMPEDANCE:** 4 Ohms  
**FREQ. RESPONSE:** 40 Hz - 22 kHz  
**SENSITIVITY:** 90 dB at 1W/Meter



**REVO 8**  
**POWER (W):** 150/300 (RMS/Peak)  
**IMPEDANCE:** 4 Ohms  
**FREQ. RESPONSE:** 35 Hz - 22 kHz  
**SENSITIVITY:** 92 dB at 1W/Meter



**REVO CX 10**  
**POWER (W):** 350/700 (RMS/Peak)  
**IMPEDANCE:** 2 Ohms  
**FREQ. RESPONSE:** 35 Hz - 22 kHz  
**SENSITIVITY:** 90 dB at 1W/Meter



Performance  
Matched options:

**REVO 6**

**SDX 4**



**SYN-DX 4**



**HTX-4**





Available with 8 different grille options



**SW-B**  
Black SW



**SW-W**  
White SW



**XS-B-SS**  
Black Stainless  
Steel XS



**XS-W-SS**  
White Stainless  
Steel XS



**XS-G-SS**  
Gunmetal Stainless Steel  
XS



**XS-S**  
Silver XS



**XW-B**  
Black XW



**XW-W**  
White XW



RGB LED Tweeter Glow Kit included - choose your own custom color options



Industry's only Santoprene™ spider - impervious to water saturation and dry rot



Wet Sounds exclusive Nylas™, high stiffness composite frame available in 6", 8" and CX 10"

10"



8"



6"



Performance

Matched options: **REVO 8** **STX MICRO 1**



**HTX-1**



**REVO 10** **SDX 4**



**SYN-DX 4**





## MARINE SUBWOOFER FA/HP

For a complete audio experience, you cannot forget about bass! We have created what we believe to be the best marine-grade subwoofer on the market. The REVO series subwoofers utilize our exclusive Santoprene™ spider to eliminate any saturation or dry rot, making them the perfect choice for your marine application. Available in 8", 10", and 12" options.



### **REVO 8 SUBWOOFER** (not shown)

FA S4 8 inch Free Air Marine Subwoofer

**POWER (W):** 200/400 (RMS/Peak)

**IMPEDANCE:** 4 Ohms

**FREQ. RESPONSE:** 20-500 Hz

**SENSITIVITY:** 88 dB at 1W/Meter

**DIAMETER:** 8.89 inches with grille

**MOUNTING DEPTH:** 4.0in

### **REVO 10 FA SUBWOOFER**

S2/S4 10 inch Free Air Marine Subwoofer

**POWER (W):** 300/600 (RMS/Peak)

**IMPEDANCE:** 2 Ohms or 4 Ohms

**FREQ. RESPONSE:** 20-500 Hz

**SENSITIVITY:** 88 dB at 1W/Meter

**DIAMETER:** 11.02 inches with grille

**MOUNTING DEPTH:** 4.72 inches

### **REVO 10 HP SUBWOOFER**

S4 10 inch **HIGH POWER** Marine Subwoofer

**POWER (W):** 400/800 (RMS/Peak)

**IMPEDANCE:** 4 Ohms

**FREQ. RESPONSE:** 20-500 Hz

**SENSITIVITY:** 88 dB at 1W/Meter

**DIAMETER:** 11.02 inches with grille

**MOUNTING DEPTH:** 4.72 inches

Performance  
Matched options:

**REVO 8 HTX-1**



**REVO 10 FA HTX-1**





Available with 8 different grille options



**SW-B**  
Black SW



**SW-W**  
White SW



**XS-G-SS**  
Gunmetal Stainless  
Steel XS



**XS-B-SS**  
Black Stainless  
Steel XS



**XS-W-SS**  
White Stainless  
Steel XS



**XS-S**  
Silver XS



**XW-W**  
White XW



**XW-B**  
Black XW



### REVO 12 HP SUBWOOFER

S4 12" **HIGH POWER** Marine subwoofer

**POWER (W):** 500/1000 (RMS/Peak)

**IMPEDANCE:** 4 Ohms

**FREQ. RESPONSE:** 20-400 Hz

**SENSITIVITY:** 88 dB at 1W/Meter

**DIAMETER:** 12.6 in with grille

**MOUNTING DEPTH:** 4.92 in

### REVO 12 FA SUBWOOFER

S2/S4 12" **Free Air** Marine Subwoofer

**POWER (W):** 400/800 (RMS/Peak)

**IMPEDANCE:** 2 Ohms or 4 Ohms

**FREQ. RESPONSE:** 20-400 Hz

**SENSITIVITY:** 88 dB at 1W/Meter

**DIAMETER:** 12.6 in with grille

**MOUNTING DEPTH:** 4.92 in

REVO 10 HP

**HTX-1**



**HTX-2**



REVO 12 HP

**SYN-DX 2**



REVO 12 FA

**SYN-DX 2**




Performance  
Matched options:



## REVO 12-XXX SUBWOOFER

The REVO 12-XXX is the only SPL 12" marine-grade SPL in the world. Featuring a powder-coated, cast aluminum frame, with our blend of polypropylene/carbon fiber/glass fiber cone, coupled with a the massive magnetic system, high-roll Santoprene™ rubber surround, and a 4" dual voice coil. The 12-XXX also features gold-plated binding posts, an integrated, multi-part cooling system with a "T" yoke heat sink and pole-piece venting; ensuring high power and low voice coil temperatures for maximum reliability.



### REVO 12-XXX SUBWOOFER

**POWER (W):** 1200/2400 (RMS/Peak)

**IMPEDANCE:** Dual 2 Ohms

**FREQ. RESPONSE:** 40 Hz

**SENSITIVITY:** 88 dB at 1W/Meter

**MOUNTING DEPTH:** 6.53 inches

**WEIGHT:** 33.4 lbs



Performance  
Matched options:

**SDX 2**



**SYN-DX 2.3 HP**








## REVO 15-XXX SUBWOOFER

The REVO 15-XXX is the first purpose-built 15" marine-grade SPL subwoofer in the world. Advanced acoustic engineering and a composite cone make the REVO 15-XXX the subwoofer of choice for those wanting extreme bass. Ground-up design using CAD and Element Analysis gives you a woofer built for extreme use. Weighing in at over 70 pounds, the REVO 15-XXX not only gives you killer bass, but also some additional ballast! Features include a powder-coated, cast aluminum frame, our blended polypropylene/carbon fiber/glass fiber cone coupled to a the massive magnetic system, a high-roll Santoprene™ surround, and a 5" dual voice coil. Additionally, the 15-XXX features gold-plated binding posts, an integrated, multi-part cooling system with a "T" yoke heat sink and pole-piece venting; ensuring high power and low voice coil temperatures for maximum reliability.



### REVO 15-XXX SUBWOOFER

**POWER (W):** 2000/4000 (RMS/Peak)

**IMPEDANCE:** Dual 2 Ohms

**FREQ. RESPONSE:** 35 Hz

**SENSITIVITY:** 88 dB at 1W/Meter

**MOUNTING DEPTH:** 10.5 inches

**WEIGHT:** 71 lbs



Performance  
Matched options:

**SDX 2500**



## REVO 12 PSE

### REVO 12 PASSIVE SUBWOOFER ENCLOSURE

Time to take bass to the next level with the new Revo 12 PSE. Utilizing our Revo 12 HP Subwoofer and 12" Revo Passive Radiator, this enclosure operates on the same principle as a ported enclosure while remaining sealed. The compact rotomolded enclosure comes pre-wired with weather proof speaker and RGB connections (Sub RGB kit sold separately). Installation and removal is simple with the quick-release mounts, The enclosure can also be mounted in any number of positions to meet any application.



XSB GRILLE



XSG GRILLE



XSW GRILLE



XSS GRILLE



XWB GRILLE



XWW GRILLE



SWB GRILLE



SWW GRILLE




Available with 8 different grille options.

#### REVO 12 PSE

**POWER (W):** 500w - 1000w

**IMPEDANCE:** 4 Ohm

**FREQ. RESPONSE:** 20Hz to 400Hz







## Coaxial Speakers

Wet Sounds presents the RECON Series - a line of high performance audio speakers. We offer multiple sizes from 5<sup>1</sup>/<sub>4</sub>" - 8" including our RECON 6 Coaxial Pod tower speakers. If you're looking for high performance sound at an affordable price, then look no further! Sold in pairs.

## DESIGNED FOR POWERSPORTS ENTHUSIASTS

RECON 5



RECON 6



RECON 8



### RECON 5

**POWER (W):** 50/100 (RMS/Peak)  
**IMPEDANCE:** 4 Ohms  
**FREQ. RESPONSE:** 40-20 Hz  
**SENSITIVITY:** 89 dB at 1W/Meter



5.625"



2.625"

### RECON 6

**POWER (W):** 60/120 (RMS/Peak)  
**IMPEDANCE:** 4 Ohms  
**FREQ. RESPONSE:** 40-20 Hz  
**SENSITIVITY:** 89 dB at 1W/Meter



6.8"



2.6"

### RECON 8

**POWER (W):** 70/140 (RMS/Peak)  
**IMPEDANCE:** 4 Ohms  
**FREQ. RESPONSE:** 40-20 Hz  
**SENSITIVITY:** 89 dB at 1W/Meter



8.89"



3.46"

Performance  
Matched options:

RECON 6

STX MICRO-4



HTX-4



RECON 8

HTX-4



SYN-DX 4



**RECON**  
S E R I E S

## SUBWOOFERS

Introducing the RECON 10-inch subwoofer. The RECON 10 is optimized for infinite baffle/free air applications and designed to achieve maximum performance without requiring a tuned enclosure. Perfect for mounting under a seat and utilizing the cargo area as its enclosure. The RECON subwoofer utilize a Nylas composite frame, with an injection-molded composite cone and the Wet Sounds' signature Santoprene™ Spider. Bass made simple. Available with a Silver or Black RECON Grille or a White XW Grille to match any application.




### RECON 10

**POWER (W):** 200/400 (RMS/Peak)

**IMPEDANCE:** 4 Ohms

**FREQ. RESPONSE:** 40-20 Hz

**SENSITIVITY:** 89 dB at 1W/Meter



Performance  
Matched options:

STX MICRO 1



HTX-1





# RECON SERIES

## PODS

The RECON 6 was specially designed for use with Wet Sounds' STX micro amplifiers. The RECON Pods come with clamps which allow for sturdy, tubular mounting on bars up to 2 inches in diameter and can also be configured for surface mounting. The RECON 6 PODs all come with multi-color RGB's. Available in black and white pairs, with 2 grille options.



RGB

Clamp can be configured for pipe or surface mounting!



### RECON 6 POD-B/POD-W

**POWER (W):** 60/120 (RMS/Peak)


**IMPEDANCE:** 4 Ohms

**FREQ. RESPONSE:** 40-20 Hz

**SENSITIVITY:** 89 dB at 1W Meter

**DIAMETER:** 6.8 inches with grille

**MOUNTING DEPTH:** 2.6 inches



Integrated 360-degree Swivel Clamp



Adjustable Housing Ring to Mount Grille at Any Angle



Fits up to a 2" Round Bar



2-Way Component-Style Coaxial with Aluminum Dome Tweeter



Flat Deck-Mounting Flange



Injection-Molded Composite Cone with Santoprene Surround

Performance Matched options:

HTX-4



STX MICRO-4



WS-4Z RGB CONTROLLER



# STEALTH ULTRA HD

Universal Soundbar

The STEALTH ULTRA HD Series Soundbars are designed to give every owner of a Boat, UTV, Golf Cart, or virtually any other vehicle the ability to add High Performance Audio in a SIMPLE-to-use design. Made for the great outdoors, the STEALTH ULTRA HD Series Soundbars are designed to be simple & easy audio options for your vehicle. The STEALTH ULTRA HD Soundbars are a true High Performance, 2-wire, 12 Volt stealth audio system!



REMOTE INCLUDED



Built-In Bluetooth Controller with Aux Input



Built-In High Output, Advanced DSP Amplifier with D-Bass Tech



Simple Plug & Play Installation



Complete Wiring Harness with L & Top Mount Brackets Included



RF Wireless Remote Control Included



IP67 Rated - protection from total dust ingress & water immersion up to 1m depth



Extruded Aluminum Chassis and Grille with Powder Coated Finish

## Universal Mounting

Aluminum L mount for end cap mounting.



Sliding top/bottom mount channel.



## SOUNDBAR PATENTS [wetsounds.com/patents](http://wetsounds.com/patents)


U.S. Utility Patent No.: US 9,469,254 B1; U.S. Utility Patent No. 8,568,162; U.S. Design Patent No. D757,686; U.S. Design Patent No. D757,687; U.S. Design Patent No. 756,962; U.S. Design Patent No. D756,963; U.S. Design Patent No. 756,963; U.S. Design Patent No. D756,961; U.S. Design Patent No. D756,964; Additional Patents Pending

### STEALTH ULTRA HD 6

**POWER (W):** 200/400 (RMS/Peak)

**FREQ. RESPONSE:** 40 Hz - 20 kHz

**SENSITIVITY:** 90 dB at 1W/Meter




### STEALTH ULTRA HD 10

**POWER (W):** 300/600 (RMS/Peak)

**FREQ. RESPONSE:** 40 Hz - 20 kHz

**SENSITIVITY:** 90 dB at 1W/Meter



Performance  
Matched options:

STEALTH AS  
SERIES



WW-BT RS



ST-ADP-RND



ST-ADP SLIDER  
BRACKET



ST-ADP  
SQ



# STEALTH AMPLIFIED



Universal Soundbar

The Surge Series is the perfect add-on Soundbar to a STEALTH Ultra HD, or any system with an existing source unit. It also works great with one of our Bluetooth Audio receivers!



Built-In High Output, Advanced DSP Amplifier with D-Bass Tech



Ready to connect to an External Bluetooth Controller, Head Unit, or Additional ULTRA Soundbar



IP67 Rated - Aluminum Chassis & Grille with Powder-Coated Finish



Complete Wiring Harness with L & Top Mount Brackets Included

## Universal Mounting

Aluminum L mount for end cap mounting.



Sliding top/bottom mount channel.



## SOUNDBAR PATENTS [wetsounds.com/patents](http://wetsounds.com/patents)

U.S. Utility Patent No.: US 9,469,254 B1; U.S. Utility Patent No. 8,568,162; U.S. Design Patent No. D757,686; U.S. Design Patent No. D757,687; U.S. Design Patent No. 756,962; U.S. Design Patent No. D756,963; U.S. Design Patent No. 756,963; U.S. Design Patent No. D756,961; U.S. Design Patent No. D756,964; Additional Patents Pending

Performance  
Matched options:

ST-ADP-RND



ST-ADP

SLIDER BRACKET



ST-ADP  
SQ




## STEALTH SURGE 6

**POWER (W):** 200/400 (RMS/Peak)

**FREQ. RESPONSE:** 40 Hz - 20 kHz

**SENSITIVITY:** 90 dB at 1W/Meter




## STEALTH SURGE 10

**POWER (W):** 300/600 (RMS/Peak)

**FREQ. RESPONSE:** 40 Hz - 20 kHz

**SENSITIVITY:** 90 dB at 1W/Meter





# STEALTH PASSIVE



## Universal Soundbar

The STEALTH Core passive Soundbars are the latest additions to the Wet Sounds STEALTH Family of products. The Wet Sounds CORE Soundbars are a passive version of our Soundbar that is the perfect addition to an existing stereo system. The STEALTH Core Soundbar is available in STEALTH-6 CORE with 6 drivers and Stealth-10 CORE with 10 drivers.



- Ready to Connect to Existing Audio Systems
- Passive Speaker Design - Available in 6 or 10 Drive configurations
- Perfect for UTV/ATV, Golf Carts and Marine Use
- Includes direct mounting bolts and L Brackets
- IP67 Rated - Aluminum Chassis and Grille with Powder-Coated Finish
- Complete Wiring Harness with L & Top Mount Brackets Included

### Universal Mounting

Aluminum L mount for end cap mounting.



Sliding top/bottom mount channel.



### SOUNDBAR PATENTS [wetsounds.com/patents](http://wetsounds.com/patents)


U.S. Utility Patent No.: US 9,469,254 B1; U.S. Utility Patent No. 8,568,162; U.S. Design Patent No. D757,686; U.S. Design Patent No. D757,687; U.S. Design Patent No. 756,962; U.S. Design Patent No. D756,963; U.S. Design Patent No. 756,963; U.S. Design Patent No. D756,961; U.S. Design Patent No. D756,964; Additional Patents Pending

### STEALTH CORE 6

**POWER (W):** 75/100 (RMS/Peak)

**FREQ. RESPONSE:** 40 Hz - 20 kHz

**SENSITIVITY:** 90 dB at 1W/Meter




### STEALTH CORE 10

**POWER (W):** 75/150 (RMS/Peak)

**FREQ. RESPONSE:** 40 Hz - 20 kHz

**SENSITIVITY:** 90 dB at 1W/Meter



Performance  
Matched options:

STX MICRO-4



ST-ADP-RND



ST-ADP  
SLIDER BRACKET



ST-ADP  
SQ



# STEALTH AS-SUBS

## Universal Active Subwoofer Enclosures

Tough and durable, the molded Polyethylene housings of the STEALTH AS Subs are designed to withstand any harsh environment, while providing superior low-bass output. The built-in Class D amp is sealed against moisture and dirt intrusion for extra protection and against the elements. All STEALTH AS series subwoofers have been designed with simple connections, for plug & play installation. The AS Subwoofer series are the perfect match for Wet Sounds STEALTH Ultra HD Soundbars, or any other application where you need to add bass. The STEALTH AS subwoofers can be added to any stereo - not just a Stealth Ultra HD Soundbar. Perfect for Jeeps and SUVs.

### STEALTH AS-10



### STEALTH AS-8



### STEALTH AS-6



#### STEALTH AS-6

**POWER:** 250/500 (RMS/PEAK)

**FREQ. RESPONSE:** 20 Hz - 250 kHz

**DIMENSIONS:** 8.75"L x 8.5"H x 9.25"D

**BATT. VOLT RANGE:** 10.5 - 16 VDC

#### STEALTH AS-8

**POWER:** 350/700 (RMS/PEAK)

**FREQ. RESPONSE:** 20 Hz - 250 kHz

**DIMENSIONS:** 9.5"L x 10"H x 10.75"D

**BATT. VOLT RANGE:** 10.5 - 16 VDC

#### STEALTH AS-10

**POWER:** 500/1000 (RMS/PEAK)

**FREQ. RESPONSE:** 20 Hz - 250 kHz

**DIMENSIONS:** 14.75"L x 12.75"H x 11.5"D

**BATT. VOLT RANGE:** 10.5 - 16 VDC

Performance

Matched options: **STEALTH ULTRA HD 6**



**STEALTH ULTRA HD 10**



# SINISTER SDX

When Compromise  
Isn't an Option

The Sinister range of amplifiers are the highest-power marine amplifiers on the market. Utilizing Wet Sounds-exclusive MAXED™ Class D Power Supplies, internal rectifier outputs and 4-layer circuit boards. What this means to you: uncompromised performance, outstanding sound quality, less current draw, less strain on your electrical system, and less heat generated so that you can play all day.

## OUR FLAGSHIP FOR POWER, CLARITY & EFFICIENCY

### SDX 2



### SDX 4



### SDX 6



### SDX 2500



Recommended for use with the  
REVO XXX series subwoofers

#### SDX 2

##### 2-Channel Amp

400 W x 2 @ 4 Ohms RMS  
620 W x 2 @ 2 Ohms RMS  
1250 W x 1 @ 4 Ohms RMS

#### SDX 4

##### 4-Channel Amp

185 W x 4 @ 4 Ohms RMS  
340 W x 4 @ 2 Ohms RMS  
685 W x 2 @ 4 Ohms RMS

#### SDX 6

##### 6-Channel Amp

185 W x 6 @ 4 Ohms RMS  
290 W x 6 @ 2 Ohms RMS  
585 W x 3 @ 4 Ohms RMS

#### SDX 2500

##### Monoblock Class D Subwoofer Amp

1000 W x 1 @ 4 Ohms RMS  
1700 W x 1 @ 2 Ohms RMS  
2500 W x 1 @ 1 Ohms RMS

Performance  
Matched options:

REV 10"  
TOWER SPEAKER



REVO 8"  
COAXIAL SPEAKER





# SYN-DX

A complete solution for every type of Extreme-Marine application.

Wet Sounds SYN-DX Series Marine Amplifiers are designed to be the amplifier of choice for every high-end marine audio system. SYN-DX amplifiers use advanced circuitry, high-quality components, oversized outputs, and efficient, Class D Power Supplies.

## SYN-DX 2



## SYN-DX 2.3 HP



## SYN-DX 4



## SYN-DX 6



### SYN-DX2

#### 2-Channel Amp

200 W x 2 @ 4 Ohms RMS  
375 W x 2 @ 2 Ohms RMS  
750 W x 1 @ 4 Ohms RMS

### SYN-DX2.3

#### HP 2-Channel Amp

300 W x 2 @ 4 Ohms RMS  
600 W x 2 @ 2 Ohms RMS  
1200 W x 1 @ 4 Ohms RMS

### SYN-DX4

#### 4-Channel Amp

125 W x 4 @ 4 Ohms RMS  
200 W x 4 @ 2 Ohms RMS  
400 W x 2 @ 4 Ohms RMS

### SYN-DX 6

#### 6-Channel Amp

Ch 1-4 125 W x 4 @ 4 Ohms RMS  
200 W x 4 @ 2 Ohms RMS  
400 W x 2 @ 4 Ohms RMS

Ch 5-6 150 W x 2 @ 4 Ohms RMS  
300 W x 2 @ 2 Ohms RMS  
600 W x 1 @ 4 Ohms RMS

Performance  
Matched options:

**REV 8"**  
**TOWER SPEAKER**



**REVO 6"**  
**COAXIAL SPEAKER**



**REVO SERIES**  
**SUBWOOFERS**



# HTX AMP

Hydro-Tech™ X (HTX)  
Series Amplifier

Wet Sounds Hydro-Tech™ X (HTX) Series of Marine Amplifiers are designed to be a complete solution for every marine application. HTX amplifiers use superior-performance circuitry and utilize Class D Power Supplies. These amplifiers have extreme power output, thermal overload protection, and flexible crossovers - all packed inside a small chassis. HTX Amplifiers are a well-balanced match for all of Wet Sounds™ products.

## HTX-1

Monoblock Class D Subwoofer Amp.



## HTX-2

2-Channel Amp



## HTX-4

4-Channel Amp



## HTX-6

6-Channel Amp



### HTX-1

**Monoblock Class D Subwoofer Amp.**

330 W x 1 @ 4 Ohms RMS

650 W x 1 @ 2 Ohms RMS

### HTX-2

**2-Channel Amp**

150 W x 2 @ 4 Ohms RMS

300 W x 2 @ 2 Ohms RMS

600 W x 1 @ 4 Ohms RMS

### HTX-4

**4-Channel Amp**

100 W x 4 @ 4 Ohms RMS

150 W x 4 @ 2 Ohms RMS

300 W x 2 @ 4 Ohms RMS

### HTX-6

**6-Channel Amp**

100 W x 6 @ 4 Ohms RMS

150 W x 6 @ 2 Ohms RMS

300 W x 3 @ 4 Ohms RMS

Performance  
Matched options:

**RECON 6 POD**



**RECON 6/8  
COAXIAL SPEAKER**




**RECON SERIES  
SUBWOOFERS**



# STEALTH STX MICRO

Compact Chassis Class D  
Marine Amplifier

The STX Micro-1 and STX Micro-4 are the latest in micro amps, designed for the Power Sports enthusiast or any application where space is limited. These small yet powerful amplifiers are designed with a completely sealed, die cast aluminum chassis for maximum protection against water and dirt intrusion. Both STX models are outfitted with 3.5mm signal-input connections, and work seamlessly with our Bluetooth controllers (BTVCC), or via direct connection to most smartphones' headphone jack.



Gain and X-Over  
Controls

## STX MICRO-1

**Monoblock Class D Subwoofer Amp.**

250W x 1 @ 4 Ohms RMS

420W x 1 @ 2 Ohms RMS

600W x 1 @ 1 Ohm RMS

## STX MICRO-4

**4 Channel Full-Range Class D Amp.**

80W x 4 @ 4 Ohms RMS


130W x 4 @ 2 Ohms RMS

280W x 2 @ 4 Ohms RMS



Performance  
Matched options:

**STEALTH CORE 10**



**WW-BT UR**



**WW-BT VC**



**WW-BT RS**





# WS-220 BT

Marine 4-Zone Level Controller  
with Integrated Bluetooth

For total control over your Wet Sounds system, look to the WS-220 BT 4-Zone Level Controller with integrated Bluetooth. The WS-220 BT allows independent volume control of 4 separate audio zones, coupled to a single master control. All 4 zones are equal, and can be set up to control your favorite Wet Sounds amplifiers to feeding zones such as tower speakers, cabin speakers and subwoofers. The WS-220 BT is designed to give you ultimate control over your Audio System - right at your fingertips.



## WS-220 BT

**S/N Ratio:** 80dB @ 1v Input

**Frequency Response:** 10 Hz - 40 kHz

**Max Output:** 5V RMS

**Input Impedance:** 20K Ohms



Performance  
Matched options: **UNDER DASH MOUNT**



# WS-420 BT

Marine Multi-Zone Equalizer  
with Integrated Bluetooth

The WS-420BT is your ultimate, 3-Zone equalizer/controller that includes 2 separate zone equalizers, plus built-in Bluetooth, all housed in a compact, half DIN chassis. Our exclusive design allows you to independently control the volume of tower speakers, in-boat speakers, and subwoofers. All of this while also allowing independent EQ adjustments of your in-boat system, and independent equalization of your tower system. The WS-420BT is the world's only true, marine audio multi-zone controller/equalizer.



# WS-420 SQ

Marine Multi-Zone 4-Band  
Parametric Equalizer

The WS-420 SQ Equalizer is a state-of-the-art 4-band parametric equalizer, designed to provide amazing control, and the ability to maximize the performance of your marine audio system.



## WS-420 BT

**BASS EQ FREQ:** 100 Hz  
**MID BASS EQ FREQ:** 300 Hz  
**MID EQ FREQ:** 2 kHz  
**HI EQ FREQ:** 15 kHz



## WS-420 SQ

**BASS EQ FREQ:** 100 Hz  
**MID BASS EQ FREQ:** 300 Hz  
**MID EQ FREQ:** 2 kHz  
**HI EQ FREQ:** 15 kHz




Performance

Matched options: **UNDER DASH MOUNT**



**IN DASH MOUNT**



# BT CONTROLS

The easiest way to add wireless control to your system

With Wet Sounds Bluetooth controllers, you now have 3 different options to add Bluetooth control to your system. Adjust the volume, as well as track playback in 3 different ways! Our entire line-up is sealed for both Marine and PowerSport use. Wet Sounds Bluetooth controllers are the easiest and most cost-effective way to add Bluetooth to any audio system!



**WW-BT VC**  
Bluetooth  
Volume Control



**WWX-DZ-BT**  
Dual-Zone  
Bluetooth Controller



**WW-BT UR**  
UNIVERSAL  
Bluetooth Receiver



**WW-BT RS**  
Bluetooth  
Rocker Switch



## BT VC

- The perfect add-on for the WS-420 SQ
- iPhone, Android & Bluetooth Device Ready
- One knob controls – track, pause & volume
- Flush in-dash or under-dash mounting
- 3.5 mm output – Easy Add-on to any radio with AUX input

## DZ BT

- Controls Volume, Track, Play/Pause & Aux Input
- Controls Volume of 2 Zones
- Zones Can Be Linked Together or Controlled Individually
- Remote Output Turns an Amplifier On/Off
- Mounts in 1-1/8" Opening
- Back-Lit Button Illumination w/Separate Illumination for Source Identification

## BT UR

- Uses the controls on the BT device for Play/Pause, Track & Volume adjustment.
- Power-saving feature - Turns off the amplifier if music is paused for more than 10-20 seconds.
- Blue light indicates BT pairing status, Red light indicates amplifier status.
- 3.5mm female connection for main output.

## BT RS

- Controls Volume, Track, Pause & Aux Input
- Mounts into a Standard Carling Switch opening
- 3.5mm Connections for Main Output & Auxiliary Input
- Volume Controls the BT & AUX
- Remote Output Turns an Amplifier On/Off

Performance  
Matched options: **STEALTH SURGE**






# AL-SR-V2

S/R KIT 2.4 GHz  
Send & Receive Audio Link Kit

Wet Sounds A Link plus is the world's first, full-wireless audio link system. With a new design & improved performance, you can broadcast from your system to multiple audio systems on any vehicle with an AUX input up to 1,600' without Bluetooth or Wi-Fi. Each A LINK plus module can SEND or RECEIVE. When linking multiple units together, you will be able to create the ultimate party atmosphere no matter where you are on your boat, ATV, golf cart, or any other vehicle. A Link plus is must-have for any boat tie up!



No Bluetooth or Wi-Fi connection needed



Operational Range – Approximately 1,600 feet



3.5mm Connection cables & Y-adaptor included



Each A Link Unit can be programmed to either SEND or RECEIVE



Multiple A Links can be set up to receive from 1 A Link Sender



Sender Standby Battery Time: 5.5 Hours



Receiver Standby Battery Time: 9.5 Hours



Dual Micro USB Charging Cable Included

Performance  
Matched options:

MC1



MC2



SHVR55



# STEALTH SHIVR-55

SHIVR 55 STEALTH 6 Cooler

The first ever of its kind! 55-liter, premium SHIVR® Cooler w/built-in 200 watt 6-speaker system. Complete with lithium-ion battery pack. Plays for over 8 hours - enough for any tailgate, picnic, or patio party. Available in 5 different colors.

**58** QUART CAPACITY



Available Colors

Battleship Gray

White

Stealth Black

Seafoam Green

Dessert Tan



## Connectivity:

The SHIVR-55 can be connected in multiple ways: Bluetooth, Auxiliary cord or WS-A Link. The diagram to the right shows you the connections being used.



Built-in Bluetooth



Lockable Lid



Auxiliary Input/Output



Capacity: 55 Liters/58 Quarts



AC Charger included & 12 Volt Charger



Built-in Lithium Ion Battery Pack (Up to 8 hours of play time)



Double-Wall Insulation




Rope Carry Handles and Rubber Latches



Stealth 6-Speaker System with DSP



W - 18.5" H - 18.5" L - 30"



**Amplifier:** Built-in 200 watt amplifier

**Frequency Response:** 40Hz to 20KHZ

**Operating Voltage:** 12V

**IP67 Rated:** Protection from total dust ingress & immersion at up to 1m depth



Gator Step Kits

Fully customize your SHIVR-55 with Gator Step Foam-Traction kits. Available in two different kits: Standard and Deluxe. Both kits are available in 4 different color options for you to personally customize your SHIVR-55.

PROTECT & CUSTOMIZE  
YOUR SHIVR!



## Deluxe Kit

**5 piece set:** Top, Front, Back, and Right/Left Sides

## Standard Kit

**1 Piece set:** Top Only

**COOLER SKINZ**

4 Color combinations

GRAY/BLACK



BLACK/GRAY



WHISKEY/BLACK



BLACK /WHISKEY





# WET WIRE®

Marine Rated Wires  
+ Interconnects

Power wire, RCA cables, junction blocks and fuse panels that resist the elements. Complete your system with wire and accessories designed specifically for marine and off-road applications.



see more at  
[wetsounds.com](http://wetsounds.com)

# SPEAKER SUITZ

Tower Speaker Protection

Durable Neoprene covers for Wet Sounds REV/ICON Series 8" tower speakers. Zippered closure, convenient carrying handles, and white silk-screened logo on the front. Speaker Suits feature carrying handles for easy portability and offer protection during travel or storage. • SUITZ-8 are compatible with REV 8/ ICON 8 • SUITZ-10 are compatible with REV 10 • SUITZ-410 are compatible with REV 410



# TOWER ADAPTERS

- Direct-Mount compatible with REV8X, REV10X, ICON8X
- Full-Swivel quick-release compatible with REV8SC, REV10SC, ICON8SC (using TC3-S removable base plate)

**NAUTIQUE-FC5-L**



**NAUTIQUE-ADP G**



**NAUTIQUE-FC5-U**



**SUPRA FX ONE**



**ADP MALIBU G3 SINGLE**



**ADP MALIBU G3 DUAL**



**MASTERCRAFT MC-11**



**CENTURION GLADIATOR**



# TOWER CLAMPS

The perfect clamp for your Wet Sounds products. Available in Fixed, Swivel and X-Mount models. All clamp options are available on [wetsounds.com](http://wetsounds.com)



see more at  
[wetsounds.com](http://wetsounds.com)



**CLAMP PATENTS** [wetsounds.com/patents](http://wetsounds.com/patents)  
U.S. Utility Patent No. 8,568,162;

## TC3 Stainless Steel Fixed Bracket Mount

- Specifically for tube diameter 1 7/8" to 3"
- Compatible with REVO & ICON

## TC3-Swivel-Mini Stainless Steel Clamp

- Specifically for tube diameter 1" to 1 7/8"
- Compatible with REVO & ICON Series Tower Speakers







[illegible]





WetSoundsMarineAudio



wetsounds



wetsounds



@wet\_sounds

**[www.WETSOUNDS.com](http://www.WETSOUNDS.com)**

© 2020 Wet Sounds, Inc. All Rights Reserved. WET SOUNDS and associated logos where applicable are registered trademarks of Wet Sounds Corporation in the United States and/or other countries. All other trademarks are the property of their respective owners. Product information may change without notice. Please visit [wetsounds.com](http://wetsounds.com) for the most recent product information and complete tech specs. For technical questions email [info@wetsounds.com](mailto:info@wetsounds.com) or call 877-938-7757